



SAFETY DATA SHEET

Issuing Date 21-Jun-2018

Revision Date 21-Jun-2018

Revision Number 1

This document complies with the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name CL-1 Synthetic Blend Chain Lube with PTFE

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use No information available

Uses advised against No information available

Supplier's details

Supplier Address
Park Tool Company
5115 Hadley Avenue N
St Paul, MN 55128
651-777-6868

Emergency telephone number

Emergency Telephone Number CHEMTREC: 1-800-424-9300 for US/ 703-527-3887 outside US

2. HAZARDS IDENTIFICATION

Classification

This product is considered hazardous according to the criteria set within the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

Aspiration Toxicity	Category 1
---------------------	------------

Label Elements

Signal Word
Danger

**Hazard Statements**

May be fatal if swallowed and enters airways

Physical and Health Hazards Not Otherwise Classified

Not applicable.

Precautionary Statements**Ingestion**

- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
- Do NOT induce vomiting.

Storage

- Store locked up.

Disposal

- Dispose of contents/container to an approved waste disposal plant.

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Petroleum distillates, solvent-refined heavy naphthenic	64741-96-4	70-80	-	-
Petroleum distillates, hydrotreated light	64742-47-8	10-20	-	-
Antimony, tris(dipentylcarbamodithioato-S,S`)-, (OC-6-11)-	15890-25-2	1-5	-	-

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention.
Skin Contact	Wash skin with soap and water. Get medical attention if symptoms occur. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse.
Inhalation	Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. If symptoms persist, call a physician.
Ingestion	Rinse mouth with water. Never give anything by mouth to an unconscious person. Do not induce vomiting without medical advice. Have victim sip a glass of water if able to swallow. If vomiting occurs, lean victim forward to reduce the risk of aspiration. If symptoms persist, call a physician.
Protection of First-aiders	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Aspiration into lungs can produce severe lung damage. Aspiration may cause pulmonary edema and pneumonitis.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Use water spray, fog, carbon dioxide (CO₂), foam or dry chemical.

Unsuitable Extinguishing Media None known.

Specific Hazards Arising from the Chemical No information available.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO₂). Nitrogen oxides (NOx). Sulfur oxides. Metal oxides.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Deny entry to unauthorized and unprotected personnel. Do not touch or walk through spilled material. Ensure adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment. Use personal protective equipment. Avoid contact with skin, eyes and clothing.

Environmental Precautions

Environmental Precautions Prevent further leakage or spillage if safe to do so. Prevent from entering into soil, ditches, sewers, waterways, and/ or groundwater. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Stop leak if without risk. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Dispose of via a licensed waste disposal contractor.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Wear personal protective equipment. Do not ingest. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Empty containers may contain hazardous residues.

Conditions for safe storage, including any incompatibilities

Storage Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from direct sunlight. Keep away from incompatible materials. Do not

store with food. Do not store in unlabeled containers. Store containers upright. Store in accordance with local regulations.

Incompatible Products Oxidizing agents.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum distillates, hydrotreated light 64742-47-8	TWA: 5 mg/m ³ STEL: 10 mg/m ³ (as oil mist)	TWA: 5 mg/m ³ (as oil mist)	-
Antimony, tris(dipentylcarbamodithioato-S,S'), (OC-6-11)- 15890-25-2	TWA; 0.5 mg/m ³ as Sb	TWA: 0.5 mg/m ³ Sb (vacated) TWA: 0.5 mg/m ³ Sb	IDLH: 50 mg/m ³ Sb TWA: 0.5 mg/m ³ Sb

Appropriate engineering controls

Engineering Measures Showers
Eyewash stations
Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Tightly fitting safety goggles.
Skin and Body Protection Wear suitable protective clothing Chemical resistant gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.
Respiratory Protection Use a properly fitted, air-purifying or supplied air respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Hygiene Measures Do not eat, drink or smoke when using this product. Wash face, hands and any exposed skin thoroughly after handling. Wash hands before eating, drinking or smoking.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State No information available. **Appearance** No information available.
Odor No information available. **Odor Threshold** No information available.

Property	Values	Remarks/ - Method
pH	No data available	None known
Melting Point/Range	No data available	None known
Boiling Point/Boiling Range	No data available	None known
Flash Point	No data available	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limits in Air		
upper flammability limit	No data available	
lower flammability limit	No data available	
Vapor Pressure	No data available	None known
Vapor Density	No data available	None known
Relative Density	No data available	None known
Specific Gravity	No data available	None known
Water Solubility	No data available	None known
Solubility in other solvents	No data available	None known

Partition coefficient: n-octanol/water	No data available	None known
Autoignition Temperature	No data available	None known
Decomposition Temperature	No data available	None known
Viscosity	No data available	None known

Flammable Properties	Not flammable
Explosive Properties	No data available
Oxidizing Properties	No data available

Other information

VOC Content (%)	No data available
------------------------	-------------------

10. STABILITY AND REACTIVITY

Reactivity	No data available.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	None under normal processing.
Hazardous Polymerization	None under normal processing.
Conditions to avoid	Temperatures above 104.44°C.
Incompatible materials	Oxidizing agents.
Hazardous decomposition products	None under normal use.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure**Product Information**

Inhalation	No known effect based on information supplied.
Eye Contact	No known effect based on information supplied
Skin Contact	Repeated exposure may cause skin dryness or cracking.
Ingestion	Potential for aspiration if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways.

Numerical measures of toxicity - Product

LD50 Oral	16,400 mg/kg; (rat)
LD50 Dermal	16,000 mg/kg; (rabbit)

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Petroleum distillates, solvent-refined heavy naphthenic	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Petroleum distillates, hydrotreated light	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
Antimony, tris(dipentylcarbamodithioato-S,S'), (OC-6-11)-	> 16400 mg/kg (Rat)	> 16000 mg/kg (Rabbit)	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	Aspiration into lungs can produce severe lung damage. Aspiration may cause pulmonary edema and pneumonitis.
-----------------	---

Delayed and immediate effects and also chronic effects from short and long term exposure

Respiratory or Skin Sensitization Based on available data, the classification criteria are not met
Germ Cell Mutagenicity Based on available data, the classification criteria are not met.
Carcinogenicity Based on available data, the classification criteria are not met. Product contains petroleum distillates. The supplier declares that it can be shown that the substance(s) contain less than 3% DMSO extract as measured by IP 346.

Chemical Name	ACGIH	IARC	NTP	OSHA
Petroleum distillates, solvent-refined heavy naphthenic	A2	Group 1	Known	X

ACGIH: (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive Toxicity Based on available data, the classification criteria are not met.
Developmental Toxicity Based on available data, the classification criteria are not met.
STOT - single exposure Based on available data, the classification criteria are not met
STOT - repeated exposure Based on available data, the classification criteria are not met
Aspiration Hazard Risk of serious damage to the lungs (by aspiration). May be fatal if swallowed and enters airways.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Not classified

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Petroleum distillates, solvent-refined heavy naphthenic 64741-96-4		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)
Petroleum distillates, hydrotreated light 64742-47-8		LC50 96 h: = 45 mg/L flow-through (Pimephales promelas) LC50 96 h: = 2.2 mg/L static (Lepomis macrochirus) LC50 96 h: = 2.4 mg/L static (Oncorhynchus mykiss)		LC50 96 h: = 4720 mg/L (Den-dronereides heteropoda)

Persistence and Degradability No information available**Bioaccumulation** No information available**Mobility** No information available**Other Adverse Effects** No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority

requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Contaminated Packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

MEX Not regulated

15. REGULATORY INFORMATION

International Regulations

Ozone depleting substances Not applicable

Persistent Organic Pollutants Not applicable

Hazardous Waste

Chemical Name	Basel Convention (Hazardous Wastes)
Antimony, tris(dipentylcarbamodithioato-S,S'), (OC-6-11)-	Y27

The Rotterdam Convention (Prior Informed Consent) Not applicable

International Convention for the Prevention of Pollution from Ships (MARPOL) Not applicable

International Inventories

TSCA Contact supplier for inventory compliance status

DSL/NDSL Contact supplier for inventory compliance status

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Antimony, tris(dipentylcarbamodithioato		X		

-S,S)-, (OC-6-11)-				
--------------------	--	--	--	--

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Petroleum distillates, solvent-refined heavy naphthenic				X	
Polytetrafluoroethylene			X		X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

NFPA Health Hazard 2 Flammability 1 Instability 0 Physical and Chemical Hazards -

HMIS Health Hazard 2 Flammability 1 Physical Hazard 0 Personal Protection X

Prepared By Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Issuing Date 21-Jun-2018
Revision Date 21-Jun-2018
Revision Note Initial Release.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet