



5115 Hadley Ave. N., St. Paul, MN 55128
T: 651-777-6868 | F: 651-777-5559 | www.parktool.com

Conforms to HazCom 2012/United States

SAFETY DATA SHEET

SECTION 1: IDENTIFICATION

PRODUCT IDENTIFIER(S)/ TRADEMARK(S) USED ON THE LABEL: Park Tool Company CL-1 Synthetic Blend Chain Lube with PTFE

OTHER MEANS OF IDENTIFICATION: CL-1 Synthetic Blend Chain Lube with PTFE

NSF H-1 REGISTRATION NUMBER: Not available.

RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

MANUFACTURER: Park Tool Company
5115 Hadley Ave. N.
St. Paul, MN 55128

EMERGENCY PHONE: 800-424-9300 (24HR)

CHEMTREC PHONE: 800-424-9300 (24HR)

SECTION 2: HAZARDS IDENTIFICATION

OSHA/HCS STATUS: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE: Not classified.

GHS LABEL ELEMENTS

SIGNAL WORD: No signal word.

HAZARD STATEMENTS: No known significant effects or critical hazards.

PRECAUTIONARY STATEMENTS

GENERAL: Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.

PREVENTION: Not applicable.

RESPONSE: Not applicable.

STORAGE: Not applicable.

DISPOSAL: Not applicable.

HAZARDS NOT OTHERWISE CLASSIFIED: None known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

SUBSTANCE/MIXTURE: Mixture.

OTHER MEANS OF IDENTIFICATION: Not available.

CAS NUMBER/OTHER IDENTIFIERS

CAS NUMBER: Not applicable.

PRODUCT CODE: 10650

INGREDIENT NAME:	%	CAS NUMBER
Distillates (petroleum), hydro-treated light	10 – 30	64742-47-8
Antimony, dialkyl dithiocarbamate	1 – 5	15890-25-2

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: FIRST AID MEASURES

DESCRIPTION OF NECESSARY FIRST AID MEASURES

EYE CONTACT: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

INHALATION: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

SKIN CONTACT: Flush contaminated skin with plenty of water. Get medical attention if symptoms occur.

INGESTION: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

MOST IMPORTANT SYMPTOMS/EFFECTS (ACUTE AND DELAYED)

POTENTIAL ACUTE HEALTH EFFECTS

EYE CONTACT: No known significant effects or critical hazards.

INHALATION: Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.

SKIN CONTACT: No known significant effects or critical hazards.

INGESTION: No known significant effects or critical hazards.

OVER-EXPOSURE SIGNS/SYMPTOMS

EYE CONTACT: No known significant effects or critical hazards.

INHALATION: No known significant effects or critical hazards.

SKIN CONTACT: No known significant effects or critical hazards.

INGESTION: No known significant effects or critical hazards.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY

NOTES TO PHYSICIAN: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

SPECIFIC TREATMENTS: No specific treatment.

PROTECTION OF FIRST-AIDERS: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

SECTION 5: FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA: In case of fire, use water spray (fog), foam, dry chemical, or, CO₂.

UNSUITABLE EXTINGUISHING MEDIA: None known.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: No specific fire or explosion hazard.

HAZARDOUS THERMAL DECOMPOSITION PRODUCTS: Decomposition products may include the following materials:
Carbon dioxide
Carbon monoxide
Nitrogen oxides
Sulfur oxides
Metal oxide/oxides

SPECIAL PROTECTIVE ACTIONS FOR FIRE-FIGHTERS: No special measures are required.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES

FOR NON-EMERGENCY PERSONNEL: No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

FOR EMERGENCY RESPONDERS: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

ENVIRONMENTAL PRECAUTIONS: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

SMALL SPILL: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

LARGE SPILL: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

PROTECTIVE MEASURES: Put on appropriate personal protective equipment (see Section 8).

ADVICE ON GENERAL OCCUPATIONAL HYGIENE: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.

SECTION 7: HANDLING AND STORAGE (CONTINUED)

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

OCCUPATIONAL EXPOSURE LIMITS

INGREDIENT NAME:	EXPOSURE LIMITS:
Distillates (petroleum), hydro-treated light	OSHA PEL (United States). TWA: 213 ppm TWA: 1200 mg/m ³ ACGIH TLV (United States 6/2013). Absorbed through skin. TWA: 200 mg/m ³ , (as total hydrocarbon vapor) 8 hours.
Antimony, dialkyl dithiocarbamate	ACGIH TLV (United States 6/2013). TWA: 0.5 mg/m ³ , (as Sb) 8 hours. OSHA PEL (United States 2/2013). TWA: 0.5 mg/m ³ , (as Sb) 8 hours. NIOSH REL (United States 4/2013). TWA: 0.5 mg/m ³ , (as Sb) 10 hours.

APPROPRIATE ENGINEERING CONTROLS:

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

ENVIRONMENTAL EXPOSURE CONTROLS:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

INDIVIDUAL PROTECTION MEASURES

HYGIENE MEASURES:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

EYE/FACE PROTECTION:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

SKIN PROTECTION

HAND PROTECTION:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

BODY PROTECTION:

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

OTHER SKIN PROTECTION:

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

RESPIRATORY PROTECTION:

Use a properly fitted, air-purifying or supplied air respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

PHYSICAL STATE:	Liquid.
COLOR:	Amber.
ODOR:	Mild.
ODOR THRESHOLD:	Not available.
pH:	Not available.
MELTING POINT:	Not available.
BOILING POINT:	Not available.
FLASH POINT:	Open Cup: 104.44 °C (220 °F) [Cleveland.]
BURNING TIME:	Not applicable.
BURNING RATE:	Not applicable.
EVAPORATION RATE:	Not available.
FLAMMABILITY (SOLID, GAS):	Not available.
LOWER AND UPPER EXPLOSIVE (FLAMMABLE) LIMITS:	Not available.
VAPOR PRESSURE:	Not available.
VAPOR DENSITY:	Not available.
RELATIVE DENSITY:	0.9 g/ml
SOLUBILITY:	Insoluble in the following materials: Cold water Hot water
PARTITION COEFFICIENT: N-OCTANOL/WATER:	Not available.
AUTO-IGNITION TEMPERATURE:	Not available.
DECOMPOSITION TEMPERATURE:	Not available.
SADT:	Not available.
VISCOSITY:	Not available.

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY:	No specific test data related to reactivity available for this product or its ingredients.
CHEMICAL STABILITY:	The product is stable.
POSSIBILITY OF HAZARDOUS REACTIONS:	Under normal conditions of storage and use, hazardous reactions will not occur.
CONDITIONS TO AVOID:	Do not heat above flash point.
INCOMPATIBLE MATERIALS:	Reactive or incompatible with the following materials: Oxidizing materials
HAZARDOUS DECOMPOSITION PRODUCTS:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY:

PRODUCT/INGREDIENT NAME	RESULT	SPECIES	DOSE	EXPOSURE
Antimony, dialkyl dithiocarbamate	LD50 Dermal	Rabbit	16000 mg/kg	---
	LD50 Oral	Rat	16400 mg/kg	---

IRRITATION/CORROSION:	There is no data available.
SENSITIZATION:	There is no data available.
MUTAGENICITY:	There is no data available.
CARCINOGENICITY:	There is no data available.

SECTION 11: TOXICOLOGICAL INFORMATION (CONTINUED)

REPRODUCTIVE TOXICITY: There is no data available.
TERATOGENICITY: There is no data available.
SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE): There is no data available.
SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE): There is no data available.
ASPIRATION HAZARD:

NAME	RESULT
Distillates (petroleum), hydro-treated light	ASPIRATION HAZARD – Category 1

INFORMATION ON THE LIKELY ROUTES OF EXPOSURE: Dermal contact. Eye contact. Ingestion.

POTENTIAL ACUTE HEALTH EFFECTS

EYE CONTACT: No known significant effects or critical hazards.
INHALATION: Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
SKIN CONTACT: No known significant effects or critical hazards.
INGESTION: No known significant effects or critical hazards.

SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL, AND TOXICOLOGICAL CHARACTERISTICS

EYE CONTACT: No known significant effects or critical hazards.
INHALATION: No known significant effects or critical hazards.
SKIN CONTACT: No known significant effects or critical hazards.
INGESTION: No known significant effects or critical hazards.

DELAYED AND IMMEDIATE EFFECTS AND ALSO CHRONIC EFFECTS FROM SHORT- AND LONG-TERM EXPOSURE

SHORT-TERM EXPOSURE:

POTENTIAL IMMEDIATE EFFECTS: No known significant effects or critical hazards.
POTENTIAL DELAYED EFFECTS: No known significant effects or critical hazards.

LONG-TERM EXPOSURE:

POTENTIAL IMMEDIATE EFFECTS: No known significant effects or critical hazards.
POTENTIAL DELAYED EFFECTS: No known significant effects or critical hazards.

POTENTIAL CHRONIC HEALTH EFFECTS

GENERAL: No known significant effects or critical hazards.
CARCINOGENICITY: No known significant effects or critical hazards.
MUTAGENICITY: No known significant effects or critical hazards.
TERATOGENICITY: No known significant effects or critical hazards.
DEVELOPMENTAL EFFECTS: No known significant effects or critical hazards.
FERTILITY EFFECTS: No known significant effects or critical hazards.

NUMERICAL MEASURES OF TOXICITY

ACUTE TOXICITY ESTIMATES There is no data available.

SECTION 12: ECOLOGICAL INFORMATION

TOXICITY

PRODUCT/INGREDIENT NAME	RESULT	SPECIES	EXPOSURE
Distillates (petroleum), hydro-treated light	Acute LC50 2200 µg/L Fresh water	Fish - Lepomis macrochirus	4 days

PERSISTENCE AND DEGRADABILITY: There is no data available.

BIOACCUMULATIVE POTENTIAL: There is no data available.

MOBILITY IN SOIL:

SOIL/WATER PARTITION COEFFICIENT (K_{oc}): Not available.
OTHER ADVERSE EFFECTS: No known significant effects or critical hazards.

SECTION 13: DISPOSAL CONSIDERATIONS

DISPOSAL METHODS: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: TRANSPORT INFORMATION

	DOT CLASSIFICATION	IMDG	IATA
UN NUMBER:	Not regulated.	Not regulated.	Not regulated.
UN PROPER SHIPPING NAME:	---	---	---
TRANSPORT HAZARD CLASS(ES):	---	---	---
PACKING GROUP:	---	---	---
ENVIRONMENTAL HAZARDS:	No.	No.	No.
ADDITIONAL INFORMATION:	---	---	---

AERG: Not applicable.

SPECIAL PRECAUTIONS FOR USER: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE: Not available.

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS:

TSCA 8(a) CDR EXEMPT/PARTIAL EXEMPTION: Not determined.
UNITED STATES INVENTORY (TSCA 8b): All components are listed or exempted.
CLEAN WATER ACT (CWA) 307: Antimony, dialkyl dithiocarbamate

CLEAN AIR ACT SECTION 112(b) HAZARDOUS AIR POLLUTANTS (HAPs): Listed.

CLEAN AIR ACT SECTION 602 CLASS I SUBSTANCES: Not listed.

CLEAN AIR ACT SECTION 602 CLASS II SUBSTANCES: Not listed.

DEA LIST I CHEMICALS (PRECURSOR CHEMICALS): Not listed.

DEA LIST II CHEMICALS (ESSENTIAL CHEMICALS): Not listed.

SARA 302/304

COMPOSITION/INFORMATION ON INGREDIENTS: No products were found.

SARA 304 RQ: Not applicable.

SARA 311/312

CLASSIFICATION: Not applicable.

SECTION 16: OTHER INFORMATION (CONTINUED)

HISTORY

DATE ISSUE (MM/DD/YYYY): 04/08/2015
VERSION: 1
REVISED SECTION(S): Not applicable.

KEY TO ABBREVIATIONS:

ATE = Acute Toxicity Estimate
BCF = Bio-concentration Factor
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Code
LogPow = logarithm of the octanol/water partition coefficient
MARPOL 73/78 = International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
UN = United Nations

NOTICE TO THE READER:

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.